

XCMG XE15 Compact Excavator



Model			XE15
Operating weight		kg	1640
Standard bucket capacity		m ³	0.044
Engine	Engine Model	/	3TNV82A
	Direct injection	/	√
	Four strokes	/	√
	Water cooling	/	√
	Turbo charged	/	×
	Air to air intercooler	/	×
	No. of cylinders	/	3
	Rated power/speed	kw/rpm	16.5/2200
	Max. torque/speed	N.m	86.5/1320
	Displacement	L	1.33

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

The main performance	Travel speed	km/h	4.4/2.4
	Swing speed	r/min	11
	Max. gradeability	/	30°
	Ground pressure	kPa	23.8
	Max.Bucket digging force	kN	13.9
	Max.arm crowd force	kN	8.8
	Main pump	/	Japan nachi
Hydraulic system	Rate flow of main pump	L/min	2×19.8+14.1
	Max pressure of prime relief valve	MPa	24
	Max pressure of travel system	MPa	21
	Max pressure of swing system	MPa	18
	Max pressure of pilot system	MPa	3.3
	Fuel tank capacity	L	20
Oil capacity	Hydraulic tank capacity	L	29
	Engine lubrication	L	5.5
	A Overall length	mm	3760
Overall dimensions	B Overall width	mm	1080
	C Overall height	mm	2400
	D Overall width of upperstructure	mm	1080
	E Track length	mm	1578
	F Overall width of undercarriage	mm	1080
	G crawler width	mm	230
	H Dozer black(width/height)	mm	1080×225
	I Tumbler distance	mm	1217
	J Crawler gauge	mm	850
	K Clearance under counter weight	mm	472
	L Ground clearance	mm	180

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	M Min.tail swing radius	mm	1190
	A Max. digging height	mm	3615
Working range	B Max. dumping height	mm	2480
	C Max. digging depth	mm	2320
	E Max. vertical wall digging depth	mm	1520
	F Max. digging reach	mm	3915
	G Min. swing radius	mm	1675
	H Max.dozer lifting height	mm	220
	I Max.dozer cutting depth	mm	240
	Angle of arm deflection	Degree	70/50

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572