

XCMG XE370CA Excavator



Model	Unit	XE370CA
Operating weight	kg	36600
Standard bucket capacity	m ³	1.4~1.8
Engine	Engine Model	/ ISUZU AA-6HK1XQP
	Direct injection	/ √
	Four strokes	/ √
	Water cooling	/ √
	Turbo charged	/ √
	Air to air intercooler	/ √
	No. of cylinders	/ 6
	Rated power/speed	kw/rpm 184/2000

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	Max. torque/speed	N.m	872.8/2000
	Displacement	L	7.79
The main performance	Travel speed	km/h	5.4/3.2
	Swing speed	r/min	9.7
	Max. gradeability	/	≥35
	Ground pressure	kPa	66.6
	Max.Bucket digging force	kN	242
	Max.arm crowd force	kN	183
	Max.traction force	kN	285
Hydraulic system	Main pump	/	2 Plunger pump
	Rate flow of main pump	L/min	2×280
	Max pressure of prime relief valve	MPa	31.5/34.3
	Max pressure of travel system	MPa	34.3
	Max pressure of swing system	MPa	27.5
	Max pressure of pilot system	MPa	3.9
Oil capacity	Fuel tank capacity	L	630
	Hydraulic tank capacity	L	320
	Engine lubrication	L	28
Overall dimensions	A Overall length	mm	11246
	B Overall width	mm	3190
	C Overall height	mm	3350
	D Overall width of upperstructure	mm	2960
	E Track length	mm	5035
	F Overall width of undercarriage	mm	3190
	G Crawler width	mm	600
	H Track length on ground	mm	4040
	I Crawler gauge	mm	2590

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	J Clearance under counter weight	mm	1197
	K Ground clearance	mm	500
	L Min.tail swing radius	mm	3450
Working range	A Max. digging height	mm	10423
	B Max. dumping height	mm	7275
	C Max. digging depth	mm	7139
	D 8inch horizontal digging depth	mm	6954
	E Max. vertical wall digging depth	mm	6545
	F Max. digging reach	mm	10887
	G Min. swing radius	mm	4424
	Angle of arm deflection	Degree	

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572